rain

reloaded 2026

Perenz®

ILLUMINA

dal 1962

rain

reloaded 2026

Perenz®
ILLUMINA
dal 1962

. rain

focus

LIBERTÀ SENZA CONFINI. Crea la tua sospensione ideale abbinando vetri e accessori esclusivi. Con il rosone a fessura continua della collezione RAIN, la luce diventa dinamica: sposta e riposiziona i pendenti in qualsiasi momento per un'illuminazione sempre perfetta e flessibile.
UNLIMITED FREEDOM. Create your ideal pendant by combining glass and exclusive accessories.
With the continuous slit ceiling canopy from the RAIN collection, light becomes dynamic: move and reposition the pendants at any time for perfect and flexible lighting.

Supporto a parete per applique (art. 8596) da utilizzare solo con vetri diametro max 22,5 cm (art. 8248, 8250, 8252, 8254). Altezza cavo regolabile.
Wall bracket for wall lapms (item 8596) to be used only with max 22,5 cm diameter glass (item 8248, 8250, 8252, 8254). Adjustable cable height.

. rain

Informazioni tecniche . Technical information

Collezione vetri borosilicati con incluso portalampade E27 in silicone bianco e cavo in PVC trasparente (L.300 cm). Rosone e lampadine non inclusi.
Borosilicate glass collection with included E27 white silicone lamp holder and transparent PVC cable (L.300 cm). Ceiling canopy and bulbs not included.



Vetro (borosilicato)
Glass (borosilicate)

new

IP20

8248 AM	8248 OR	8248 RM	8248 SP	8248 TR	8248 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



Vetro (borosilicato)
Glass (borosilicate)

new

IP20

8250 AM	8250 OR	8250 RM	8250 SP	8250 TR	8250 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



Vetro (borosilicato)
Glass (borosilicate)

new

IP20

8252 AM	8252 OR	8252 RM	8252 SP	8252 TR	8252 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



Vetro (borosilicato)
Glass (borosilicate)

new

IP20

8254 AM	8254 OR	8254 RM	8254 SP	8254 TR	8254 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



new

Vetro (borosilicato)
Glass (borosilicate)

IP20

8249 AM	8249 OR	8249 RM	8249 SP	8249 TR	8249 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



new

Vetro (borosilicato)
Glass (borosilicate)

IP20

8251 AM	8251 OR	8251 RM	8251 SP	8251 TR	8251 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



new

Vetro (borosilicato)
Glass (borosilicate)

IP20

8253 AM	8253 OR	8253 RM	8253 SP	8253 TR	8253 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



new

Vetro (borosilicato)
Glass (borosilicate)

IP20

8255 AM	8255 OR	8255 RM	8255 SP	8255 TR	8255 VE	1 x E27 MAX 40W 220-240V 50/60Hz
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green	**H. regolabile (cavo L.300 cm)** H. adjustable (cable L.300 cm)



Rosone ad incasso in metallo verniciato a polvere
Recessed canopy painted metal

8029 B	8029 CL	8029 CR	8029 N	8029 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass

Rosone in metallo verniciato a polvere
Powder-coated metal canopy

6247 BM	6247 CL	6247 CR	6247 N	6247 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass

Rosone multicavo in metallo verniciato a polvere (7 fori)
Powder-coated metal multicable canopy (7 holes)

6252 B	6252 CL	6252 CR	6252 N	6252 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



Rosone multicavo in metallo verniciato a polvere (8 fori)
Powder-coated metal multicable canopy (8 holes)

6255 B	6255 CL	6255 CR	6255 N	6255 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



Rosone multicavo in metallo verniciato (3 fori)
Multicable canopy painted metal (3 holes)

8030 B	8030 CL	8030 CR	8030 N	8030 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



Rosone multicavo in metallo verniciato (5 fori)
Multicable canopy painted metal (5 holes)

8032 B	8032 CL	8032 CR	8032 N	8032 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



new **Rosone multicavo in metallo verniciato (7 fori)**
Multicable canopy painted metal (7 holes)

8594 B	8594 CL	8594 CR	8594 N	8594 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



Rosone rettangolare multicavo in metallo (3 fori)
Rectangular multicable canopy painted metal (3 holes)

8034 B	8034 CL	8034 CR	8034 N	8034 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



Rosone rettangolare multicavo in metallo (5 fori)
Rectangular multicable canopy painted metal (5 holes)

8035 B	8035 CL	8035 CR	8035 N	8035 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



new **Rosone rettangolare multicavo in metallo (max 6 cavi)**
Rectangular multicable canopy painted metal (max 6 cables)

8600 B	8600 N
bianco opaco	**nero opaco**
matt white	matt black

Supporto in metallo per decentramento verniciato a polvere
Powder-coated metal support for decentralization

6249 B	6249 CL	6249 CR	6249 N	6249 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



new **Supporto a parete per applique (solo con vetri diametro max 22,5 cm - art. 8248, 8250, 8252, 8254)**
Wall support for wall lamp (only for glass with a max diameter of 22,5 cm - art. 8248, 8250, 8252, 8254)

8596 B	8596 CL	8596 CR	8596 N	8596 OB
bianco opaco	**cromo lucido**	**cromo spazzolato**	**nero opaco**	**ottone brunito**
matt white	polished chrome	brushed chrome	matt black	burnished brass



Esempio di composizione . Example of composition

A	B	C	D	E
8030 OB	6249 OB	8250 RM	8248 OR	8252 OR
1 pz.	3 pz.	1 pz.	1 pz.	1 pz.
rosone multicavo in metallo finitura ottone brunito (3 fori) metal multicable canopy with burnished brass finish (3 holes)	**supporto in metallo per decentramento finitura ottone brunito** metal support for decentralization with burnished brass finish	**vetro rame specchiato** mirrored copper glass	**vetro oro specchiato** mirrored gold glass	**vetro oro specchiato** mirrored gold glass

. rain

focus

CREATIVITÀ E STILE. Con la collezione RAIN, sei tu a progettare la tua plafoniera. Seleziona la base e gioca con i vetri colorati, mixando dimensioni e tonalità per creare composizioni esclusive.
CREATIVITY AND STYLE. With the RAIN collection, you design your own ceiling lamp. Select the base and play with the colored glass, mixing sizes and shades to create unique compositions.

Supporto a soffitto per plafoniera (art. 8588) da utilizzare con vetri diametro 22,5 cm e 28 cm (art. 8584, 8586).
Ceiling support for ceiling light (item 8588) to be used with 22,5 cm and 28 cm diameter glass (item 8584, 8586).

Supporto a parete per applique (art. 8588) ideale con vetri diametro 22,5 cm (art. 8584).
Wall bracket for wall lapms (item 8588) ideal for 22,5 cm diameter glass (item 8584).

Supporto per lampada da tavolo (art. 8602) da utilizzare con vetri diametro 22,5 cm e 28 cm (art. 8584, 8586).
Support for table lamp (item 8602) to be used with 22,5 cm and 28 cm diameter glass (item 8584, 8586).

. rain

Informazioni tecniche . Technical information

Collezione vetri borosilicati con strutture in metallo e alluminio verniciate a polvere. Lampadine non incluse.
Borosilicate glass collection with powder-coated metal and aluminum structures. Bulbs not included.



new **Vetro (borosilicato)**
Glass (borosilicate)

8584 AM	8584 OR	8584 RM	8584 SP	8584 TR	8584 VE
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green



new **Vetro (borosilicato)**
Glass (borosilicate)

8586 AM	8586 OR	8586 RM	8586 SP	8586 TR	8586 VE
ambra trasparente transparent amber	**oro specchiato** mirrored gold	**rame specchiato** mirrored copper	**fumé specchiato** mirrored smoked	**trasparente** transparent	**verde specchiato** mirrored green



new **Supporto a soffitto/parete per plafoniera/applique**
Ceiling/wall support for ceiling/wall lamp

8588 B — 8588 N

IP20
1 x E27 MAX 40W
220-240V 50/60Hz

bianco opaco matt white
nero opaco matt black



new **Supporto a soffitto per plafoniera**
Ceiling support for ceiling light

8590 B — 8590 N

IP20
2 x E27 MAX 40W
220-240V 50/60Hz

bianco opaco matt white
nero opaco matt black



new **Supporto a soffitto per plafoniera**
Ceiling support for ceiling light

8592 B — 8592 N

IP20
3 x E27 MAX 40W
220-240V 50/60Hz

bianco opaco matt white
nero opaco matt black



new **Supporto per lampada da tavolo**
Support for table lamp

8602 B — 8602 N

IP20
1 x E27 MAX 40W
220-240V 50/60Hz

bianco opaco matt white
nero opaco matt black
Interruttore on/off sul cavo
On/off switch on the cable



Esempio di composizione . Example of composition

A	B	C	D
8592 N	8586 VE	8584 SP	8584 RM
1 pz.	1 pz.	1 pz.	1 pz.
Supporto a soffitto per plafoniera, finitura nera Ceiling support for ceiling light, black finish	**vetro verde specchiato** mirrored green glass	**vetro fumé specchiato** mirrored smoked glass	**vetro rame specchiato** mirrored copper glass

. rain

accessori binari . tracks accessories



Profilo in alluminio a plafone lunghezza 2 m per sistema binario trifase, componibile a piacere con l'ausilio dei vari accessori.
Ceiling profile in aluminium length 2 m for three-phase rail track system, customizable with the help of various accessories.

6890 B — **bianco opaco** matt white
6890 N — **nero opaco** matt black



Tappo di chiusura per sistema binario
Closing cap for rail track system

6900 B — **bianco opaco** matt white
6900 N — **nero opaco** matt black

Giunto lineare a scomparsa per sistema binario
Concealed linear joint for rail system

6889 B — **bianco opaco** matt white
6889 N — **nero opaco** matt black

Basetta attacco a soffitto per sistema binario
Ceiling mount for rail track system

6895 B — **bianco opaco** matt white
6895 N — **nero opaco** matt black



Connettore principale destra
Main right connector

6891 B DX — **bianco opaco** matt white
6891 N DX — **nero opaco** matt black

Connettore principale sinistra
Main left connector

6891 B SX — **bianco opaco** matt white
6891 N SX — **nero opaco** matt black



Connettore a "I" per sistema binario
Main I-connector for rail track system

6892 B — **bianco opaco** matt white
6892 N — **nero opaco** matt black



Connettore a "X" per sistema binario
X-connector for rail track system

6894 B — **bianco opaco** matt white
6894 N — **nero opaco** matt black



Connettore a "T" destra
Right T-connector

6896 B DX — **bianco opaco** matt white
6896 N DX — **nero opaco** matt black

Connettore a "T" sinistra
Left T-connector

6896 B SX — **bianco opaco** matt white
6896 N SX — **nero opaco** matt black



Connettore a "L" destra
Right L-connector

6898 B DX — **bianco opaco** matt white
6898 N DX — **nero opaco** matt black

Connettore a "L" sinistra
Left L-connector

6898 B SX — **bianco opaco** matt white
6898 N SX — **nero opaco** matt black

. rain (pag. 23)

. rain (pag. 10-11)



new **Connettore plafoniera per sistema binario, portata massima 3kg adatto per collezione vetri Rain.**
Ceiling lamp connector for rail track system, maximum load 3kg for collection Rain.

8598 B — **bianco opaco** matt white
8598 N — **nero opaco** matt black

IP20
1 x E27 MAX 40W
220-240V 50/60Hz



Connettore sospensione per sistema binario, portata massima 3kg adatto per collezione vetri Rain.
Hanging connector for rail track system, maximum load 3kg for collection Rain.

6893 B — **bianco opaco** matt white
6893 N — **nero opaco** matt black



Kit sospensione binario con cavo in acciaio e blocca cavo a soffitto, lunghezza cavo 200 cm.
Track suspension kit with steel cable and ceiling cable clamp; cable length 200 cm.

6899 B — **bianco opaco** matt white
6899 N — **nero opaco** matt black



Giunto lineare flessibile per sistema binario
Flexible linear joint for rail system

8074 B — **bianco opaco** matt white
8074 N — **nero opaco** matt black

indice degli articoli . items index

Coordinati . Coordinates

articolo item		pagina page
8248 AM		10
8248 OR		10
8248 RM		10
8248 SP		10
8248 TR		10
8248 VE	new	10
8249 AM	new	11
8249 OR	new	11
8249 RM	new	11
8249 SP	new	11
8249 TR	new	11
8249 VE	new	11
8250 AM		10
8250 OR		10
8250 RM		10
8250 SP		10
8250 TR		10
8250 VE	new	10
8251 AM	new	11
8251 OR	new	11
8251 RM	new	11
8251 SP	new	11
8251 TR	new	11
8251 VE	new	11
8252 AM		10
8252 OR		10
8252 RM		10
8252 SP		10
8252 TR		10
8252 VE	new	10

articolo item		pagina page
8253 AM	new	11
8253 OR	new	11
8253 RM	new	11
8253 SP	new	11
8253 TR	new	11
8253 VE	new	11
8254 AM		10
8254 OR		10
8254 RM		10
8254 SP		10
8254 TR		10
8254 VE	new	10
8255 AM	new	11
8255 OR	new	11
8255 RM	new	11
8255 SP	new	11
8255 TR	new	11
8255 VE	new	11
8584 AM	new	23
8584 OR	new	23
8584 RM	new	23
8584 SP	new	23
8584 TR	new	23
8584 VE	new	23
8586 AM	new	23
8586 OR	new	23
8586 RM	new	23
8586 SP	new	23
8586 TR	new	23
8586 VE	new	23

Accessori . Accessories

articolo item	pagina page
6247 BM	12
6247 CL	12
6247 CR	12
6247 N	12
6247 OB	12
6249 B	13
6249 CL	13
6249 CR	13
6249 N	13
6249 OB	13
6252 B	12
6252 CL	12
6252 CR	12
6252 N	12
6252 OB	12
6255 B	12
6255 CL	12
6255 CR	12
6255 N	12
6255 OB	12
6889 B	26
6889 N	26
6890 B	26
6890 N	26
6891 B DX	26
6891 B SX	26
6891 N DX	26
6891 N SX	26
6892 B	26
6892 N	26
6893 B	27
6893 N	27
6894 B	26
6894 N	26
6895 B	26
6895 N	26
6896 B DX	26
6896 B SX	26
6896 N DX	26
6896 N SX	26
6898 B DX	26
6898 B SX	26
6898 N DX	26
6898 N SX	26
6899 B	27
6899 N	27
6900 B	26
6900 N	26
8029 B	12

articolo item		pagina page
8029 CL		12
8029 CR		12
8029 N		12
8029 OB		12
8030 B		12
8030 CL		12
8030 CR		12
8030 N		12
8030 OB		12
8032 B		12
8032 CL		12
8032 CR		12
8032 N		12
8032 OB		12
8034 B		13
8034 CL		13
8034 CR		13
8034 N		13
8034 OB		13
8035 B		13
8035 CL		13
8035 CR		13
8035 N		13
8035 OB		13
8074 B		27
8074 N		27
8588 B	new	23
8588 N	new	23
8590 B	new	23
8590 N	new	23
8592 B	new	23
8592 N	new	23
8594 B	new	12
8594 CL	new	12
8594 CR	new	12
8594 N	new	12
8594 OB	new	12
8596 B	new	13
8596 CL	new	13
8596 CR	new	13
8596 N	new	13
8596 OB	new	13
8598 B	new	27
8598 N	new	27
8600 B	new	13
8600 N	new	13
8602 B	new	23
8602 N	new	23

I prezzi sono indicati in euro al netto di iva.
Eco-contributo RAEE, PILE e ACCUMULATORI incluso nei prezzi ove dovuto.
Per quanto non espressamente indicato, restano valide le condizioni commerciali contenute nel Listino Generale Italia - Light Book - Marzo 2026.

Prices are indicated in euros net of VAT.
WEEE, BATTERIES and ACCUMULATORS eco-contribution included in the prices where due.
For anything not expressly indicated, the commercial conditions contained in the International Price List - Light Book - March 2026 remain valid.

PERENZ srl
via Feltrina, 4
32038 Setteville
Belluno - Italy

office
T. +39 0439 78.70.26 r.a.

showroom
T. +39 0439 78.84.44

F. +39 0439 78.71.25

perenz@perenz.it
www.perenz.it

Materiale pubblicitario non soggetto a cessione. La società Perenz srl si riserva la facoltà di modificare, in qualsiasi momento e senza preavviso, le caratteristiche tecniche dei modelli illustrati nel presente catalogo. I colori si intendono indicativi. Tutti i nostri prodotti sono realizzati secondo le vigenti normative europee e certificati CE. Vietato l'utilizzo e la vendita dei nostri prodotti on-line senza autorizzazione. Vietata la riproduzione totale o parziale del presente catalogo.

The advertising material is the property of Perenz srl. The company reserves the right to change the technical features of the models featured in this catalogue at any time and without any prior notice. The colours are for indication purposes only. All our products are manufactured in conformity with the stringent EU standards and CE certified. It is strictly forbidden to use or sell our products on-line without prior authorisation. To copy any part of this catalogue is strictly forbidden.

© **DITRE** IDEAS MAKERS

graphic artwork & photo editing **Ditre.com**
photo **Quasarfoto.com, Archivio Perenz**
imagebank **shutterstock.com, istockphoto.com, unsplash.com**

printed in Italy **May 2026**

perenz.it